AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions, and listings, of claims in the application.

1-7. (Cancelled)

- 8. (currently amended) A method for a preventive or curative treatment of a disease caused by fungi on an agricultural cultivation, which comprises applying a water emulsion as an adjuvant for a substance having a fungicide activity, wherein said emulsion comprises water in an amount included between 15 and 85% by weight or volume, with respect to the overall weight or volume of the emulsion, and a vegetable oil or a mixture of vegetable oils soybean oil in an amount included between 85 and 15% by weight or volume, with respect to the overall weight or volume of the emulsion.
- 9. (currently amended) The method according to claim 8, wherein said emulsion comprises a vegetable the soybean oil in a percentage of 40% by weight or volume, with respect to the overall weight or volume of the emulsion.

10-11, cancelled

- 12. (previously presented) The method according to claim 8, wherein said fungi are selected from the group comprising: *Pythium spp.*; *Phyphthora spp.*; *Peronospora spp.*; *Bremia spp.*; *Uncinula necator*, *Sclerotinia spp.*; *Venturia inequalis*; *Cercospora spp.*; *Alternaria spp.*; *Thielaviopsis spp.*; *Cladosporium spp.*; *Botritis spp.*; *Monilia spp.*; *Verticillium spp.*.
- 13. (previously presented) The method according to claim 8, wherein said cultivation submitted to treatment is selected from the group comprising: horticultural cultivations, tomato, potato, lettuce, strawberry, onion, celery, melon, marrow, aubergine, artichoke, French bean, cabbage; flower and ornamental cultivations, rhododendron, begonia, camellia, chrysantemum, carnation, stork's bill, gerbera, lilium, orchid, petunia, primula, rose; arboreous cultivations, dicotyledon, citrus, cherry, fig, almond, apple, walnut, olive, pear, peach, plum trees, vine, flower and ornamental trees.

- 14. (withdrawn) A fungicide composition for a preventive or curative treatment of a disease caused by fungi on an agricultural cultivation which comprises:
- a water emulsion of vegetable oil; and
- at least one substance having a fungicide activity, wherein said emulsion comprises water in an amount included between 15 and 85% by weight or volume, with respect to the overall weight or volume of the emulsion, and a vegetable oil or a mixture of vegetable oils in an amount included between 85 and 15% by weight or volume, with respect to the overall weight or volume of the emulsion.
- 15. (withdrawn) The composition according to claim 14, wherein said emulsion comprises a vegetable oil in a percentage of 40% by weight or volume, with respect to the overall weight or volume of the emulsion.
- 16. (withdrawn) The composition according to claim 14, wherein the vegetable oil is selected from: soybean oil, rape oil, sunflower oil, peanut oil, linseed oil, cottonseed oil, corn oil, castor oil, neem oil and olive oil.
- 17. (withdrawn) The composition according to claim 16, wherein the vegetable oil is soybean oil.
- 18. (withdrawn) The composition according to claim 14, wherein fungi are selected from the group comprising: *Pythium spp.*; *Phyphthora spp.*; *Peronospora spp.*; *Bremia spp.*; *Uncinula necator*, *Sclerotinia spp.*; *Venturia inequalis*; *Cercospora spp.*; *Alternaria spp.*; *Thielaviopsis spp.*; *Cladosporium spp.*; *Botritis spp.*; *Monilia spp.*; *Verticillium spp.*.
- 19. (withdrawn) The composition according to claim 14, wherein said cultivation submitted to treatment is selected from the group comprising: horticultural cultivations, tomato, potato, lettuce, strawberry, onion, celery, melon, marrow, aubergine, artichoke, French bean, cabbage; flower and ornamental cultivations, rhododendron, begonia, camellia, chrysantemum, carnation, stork's bill, gerbera, lilium, orchid, petunia, primula, rose; arboreous cultivations, dicotyledon, citrus, cherry, fig, almond, apple, walnut, olive, pear, peach, plum trees, vine, flower and ornamental trees.
- 20. (withdrawn) The composition according to claim 14, wherein the substance having a

fungicide activity is a copper-based preparation.

- 21. (withdrawn) The composition according to claim 20, wherein copper is selected from copper oxychloride, copper hydroxide or copper sulphate.
- 22. (currently amended) A method for a preventive or curative treatment of a disease caused by fungi on an agricultural cultivation, which comprises applying a fungicide composition which comprises:
- a water emulsion of vegetable soybean oil; and
- at least one substance having a fungicide activity, wherein said emulsion comprises water in an amount included between 15 and 85% by weight or volume, with respect to the overall weight or volume of the emulsion, and a vegetable oil or a mixture of vegetable oils the soybean oil in an amount included between 85 and 15% by weight or volume, with respect to the overall weight or volume of the emulsion.
- 23. (currently amended) The method according to claim 22, wherein said emulsion comprises a vegetable the soybean oil in a percentage of 40% by weight or volume, with respect to the overall weight or volume of the emulsion.

24-25. (cancelled)

- 26. (previously presented) The method according to claim 22, wherein said fungi are selected from the group comprising: *Pythium spp.*; *Phyphthora spp.*; *Peronospora spp.*; *Bremia spp.*; *Uncinula necator*, *Sclerotinia spp.*; *Venturia inequalis*; *Cercospora spp.*; *Alternaria spp.*; *Thielaviopsis spp.*; *Cladosporium spp.*; *Botritis spp.*; *Monilia spp.*; *Verticillium spp.*.
- 27. (previously presented) The method according to claim 22, wherein said cultivation submitted to treatment is selected from the group comprising: horticultural cultivations, tomato, potato, lettuce, strawberry, onion, celery, melon, marrow, aubergine, artichoke, French bean, cabbage; flower and ornamental cultivations, rhododendron, begonia, camellia, chrysantemum, carnation, stork's bill, gerbera, lilium, orchid, petunia, primula, rose; arboreous cultivations, dicotyledon, citrus, cherry, fig, almond, apple, walnut, olive, pear, peach, plum trees, vine, flower and ornamental trees.

- 28. (new) A method for improving the efficiency of a substance having a fungicide activity comprising applying to an agricultural cultivation, a water emulsion wherein said water emulsion comprises water in an amount included between 15% and 85% by weight or volume, with respect to the overall weight or volume of the emulsion and soybean oil in an amount included between 15% and 85% by weight or volume, with respect to the overall weight or volume of the emulsion.
- 29. (new) A method for improving the efficiency of a substance having a fungicide activity comprising applying to an agricultural cultivation said substance having a fungicide activity in combination with a water emulsion, wherein said water emulsion comprises water in an amount included between 15% and 85% by weight or volume, with respect to the overall weight or volume of the emulsion and soybean oil in an amount included between 15% and 85% by weight or volume, with respect to the overall weight or volume of the emulsion.
- 30. (new) The method according to claim 28, wherein said emulsion comprises the soybean oil in a percentage of 40% by weight or volume, with respect to the overall weight or volume of the emulsion.
- 31. (new) The method according to claim 28, wherein said fungi are selected from the group comprising: *Pythium spp.*; *Phyphthora spp.*; *Peronospora spp.*; *Bremia spp.*; *Uncinula necator*, *Sclerotinia spp.*; *Venturia inequalis*; *Cercospora spp.*; *Alternaria spp.*; *Thielaviopsis spp.*; *Cladosporium spp.*; *Botritis spp.*; *Monilia spp.*; *Verticillium spp.*.
- 32. (new) The method according to claim 28, wherein said cultivation submitted to treatment is selected from the group comprising: horticultural cultivations, tomato, potato, lettuce, strawberry, onion, celery, melon, marrow, aubergine, artichoke, French bean, cabbage; flower and ornamental cultivations, rhododendron, begonia, camellia, chrysantemum, carnation, stork's bill, gerbera, lilium, orchid, petunia, primula, rose; arboreous cultivations, dicotyledon, citrus, cherry, fig, almond, apple, walnut, olive, pear, peach, plum trees, vine, flower and ornamental trees.
- 33. (new) The method according to claim 29, wherein said emulsion comprises the

soybean oil in a percentage of 40% by weight or volume, with respect to the overall weight or volume of the emulsion.

- 34. (new) The method according to claim 29, wherein said fungi are selected from the group comprising: *Pythium spp.*; *Phyphthora spp.*; *Peronospora spp.*; *Bremia spp.*; *Uncinula necator*, *Sclerotinia spp.*; *Venturia inequalis*; *Cercospora spp.*; *Alternaria spp.*; *Thielaviopsis spp.*; *Cladosporium spp.*; *Botritis spp.*; *Monilia spp.*; *Verticillium spp.*.
- 35. (new) The method according to claim 29, wherein said cultivation submitted to treatment is selected from the group comprising: horticultural cultivations, tomato, potato, lettuce, strawberry, onion, celery, melon, marrow, aubergine, artichoke, French bean, cabbage; flower and ornamental cultivations, rhododendron, begonia, camellia, chrysantemum, carnation, stork's bill, gerbera, lilium, orchid, petunia, primula, rose; arboreous cultivations, dicotyledon, citrus, cherry, fig, almond, apple, walnut, olive, pear, peach, plum trees, vine, flower and ornamental trees.